



POLK COUNTY Social Service Department

Tel: 327-6830 Fax: 327-6873

Memorandum

To:

Jan Shandley/for Judge Thompson

From:

Barbara Hayes

Date:

7/19/2007

Subject:

Agenda items-Leasing Agreement

Jan,

Please place the following items on the Commissioners Court Agenda: Possible approval to purchase lease kitchen products from Superior Products (Leasing Agreement enclosed).

If approved by Commissioners Court, the Agreement will be presented to Marlin Leasing Company (leasing company for Superior Products) for approval and acceptance to lease the products.

Lease Purchase monthly cost \$500.00, (sixty months), including service warranty, Budget Line Item # 051.645.463.

I appreciate your assistance in this matter.

Respectfully Submitted,

Enclosure:

Lease Agreement

Product list



LEASE APPLICATION Superior Products

Superior Products Attn; Leasing Dept. P.O. Box 64177 St. Paul, MN 55164 Fax: 864-284-1348

	Sales Representative: Alex.					Please print k	egibly with Blue or Black ink.	
В	BUSINESS NAMERIESEE			·	TE	LEPHONE Q 2 /	327-6830	
บไ	POLK COUNTY	LGING T	SIAIE	COUNT	<u> </u>	ZIP	TIME OWNED (YEARS - MONTHS)	
. ¥	ADDRESS (STREET/SHIP, TO ADDRESS)	Livingston	LLX	MO	14	7735	FEDERAL TAX 10 #	
N	ADDRESS (MAIL TO IPO BOX)	CITY	STATE	COUNT	Y	ZIP	74-6001621	
E	Suite 101 Email Address (will be used for documents only)		ــــــــــــــــــــــــــــــــــــــ	Fax (will	be used for do	cuments only)		
5	Clian Floores (Mix of other in the other in		,	1				
	BUSINESS STRUCTURE PR	OPRIETORSHIPPART	NERSHIP	CORPC	RATION		Total ownership must equal 100%	
	ANNICIDIES NAME	TITLE		%OWN!	ERSHIP	SOCIAL SECUE	RITY #	
0	COUNTY GOVT	CITY	STATE	ZIP		HOME PHONE		
N	HOME ADDRESS (STREET) A BOVE	\$ 11.1		1				
E	PRINCIPLE'S NAME	TITLE		%OWN	ERSHIP	SOCIAL SECUI	RITY #	
R	HOME ADDRESS (STREET)	CITY	STATE	ZΙP		HOME PHONE		
S	HOME ADDRESS (STREET)		1	1		200001 55011	THIT A	
1	PRINCIPLE'S NAME	TITLE		*OWN	ERSHIP	SOCIAL SECU	KIII #	
P	HOME ADDRESS (STREET)	CITY	STATE	ZIP		HOME PHON		
	BANKS NEED TO HAVE 2+ YEAR HISTORY	- Business and/or Personal			CONTACTA	T BANK)		
В	tirst State Livingston				Oneila Neal			
A	17197 1 17771 .1	CHECKING ACCOUNT			FAX		936-327-5211	
N	BANK	BRANCH			CONTACT AT BANK			
K S		The second secon			FAX		TELEPHONE	
	ACCOUNT UNDER NAME OF	HECKING ACCOUNT ₽						
L		CCOUNT#		TELEPHO	NE		CONTACT PERSON	
R	COMPANY ISSUE		····	000	201	7728	Shirley	
RE	Wm. George	Various		NOC	<u>-324</u>	<u>-1150</u>		
C E E E E E E E E E E E E E E E E E E E	Story Wright	Various 800-35) - 32L	-667	1 Joe Allen	
17 6	-	Various		936	-1.99	2800	Welanie	
	llexas [Maging]	Val 1003		1104	10 1 1			
E	DESCRIPTION OR ITEM NUMBERS OF EQUIPME	INT TO BE LEASED						
Q	DESCRIPTION OR ITEM NUMBERS OF EQUIPMENT TO BE LEASED CONTINUED							
U								
P	DESCRIPTION OR ITEM NUMBERS OF EQUIPM	DESCRIPTION OR ITEM NUMBERS OF EQUIPMENT TO BE LEASED CONTINUED						
E	COST OF EQUIPMENT \$	TERM OF LEASE REQUESTED (IN MONTHS 24, 36, 4))		DEPOSIT RECEIVED	
N	COST OF EQUIPMENT 4	EQUIPMENT 3						
	n	tina						
	Authorization to Release Bank Informa I/We hereby authorize Superior Produc	cts and/or any of their Au	nthorized Age	ents to in	vestigate m	/our financial re	esponsibility and credit	
	I/We hereby authorize Superior Production worthiness. This is my/our authorization release any information requested by to							
	release any information requested by the	Siephiotie di Trut os part	Δ_{α}			Date		
	Company Name TOIK	unnty	-741Y	14 <u>j</u>				
	Authorized Signature					Title		

VOL. 53 PAGE 946

Attachment to Leasing Application Superior Products Attn: Leasing Department P.O. Box 64177 St. Paul, MN 55164

TOTAL LEASE		\$15,470.00
22" Contour Ice Machine	023840	\$ 2,040.00
Heated Holding Cabinet Warmer	871998	\$ 2,580.00
Two door glass refrigerator	872230	\$ 2,435.00
Convection Oven Casters	028958	\$ 260.00
Heavy Duty Convection Oven	110827	\$ 6,395.00
Stainless Steel Serving Station	023627	\$ 1,760.00
Product	Item Number	Cost

BUFFET EQUIPMENT

TRANGE city stock pots. dainless front iuminized steel 1 type cast iron 000 Propane iron top grate, ilots. 181/8"W x

nnection. AGA, Center. SELE \$720.00



mplished in the gulator setting. ĜA, NSF.

SALE 5lbs...\$520.00

25 lbs ..805.00 a elements or infinite controls ₹H. UL. NSF. lamps. 240V -SALE \$445.00 lamps. 240V -SALE \$520.00

clails.


bend

OT PLATES MBTU burners. and sides with Heavy cast iron № 4" Stainless ₹burners, 32"D ™. ¾" Gas con-SALE

....\$1190.001225.00 ---...1580.00

RANGE ! Infinite heat 'Ycle, 111/2"W X PS. NSF. 9 lbs





SIGNATURE SERVERS

These modular buffet lines can be customized with your choice of laminates found on page 297. Hot food stations are supplied with buffet style lamps and refrigerated units come with fluorescent lighting standard. Access breath guard gives you service flexibility and easy cleaning. Folding plate rests are standard. Spillage and food pans not included. Allow 3-4 weeks for delivery. *Ships freight prepaid from factory in WI.

Hot Food Stations. Hot well serving units that meet NSF4 performance standard. Manifold drain assembly for safe, easy cleaning. Buffet breath guard with hinged lift up acrylic panels. 12" Clearance for easy self-serve. Heat lamps provide additional heat to serving area. Four locking casters. Serving height of 34" to meet ADA standards. Specify 120, 208 or 240V. 5 Well 208 or 204V only. UL, CUL, NSF.

Cold Food Stations. Mechanically refrigerated units are designed to provide optimum holding temperature. NSF7 listed cold pan features 3" recess to hold food below work surface and limit effect of ambient air. Standard refrigerated cold pan has an 8" deep well to hold pans up to 6" deep. 653 lbs. 025070 Standard Refrigerated......SALE \$5630.00


871707


*TRANSPORTATION IN THE CONTINENTAL USA ONLY

CARVING STATION

by Carlisle

Spun aluminum drill shade. Flexiglow arm is 24". Switch located away from the heat source. Includes 250 watt red bulb, 18" x 26" drip pan and 16" x 24" maple cutting board. 28 lbs. In Stock Distribution Center. 833194 \$ALE \$250.00








CADCO ELECTRIC BUFFET RANGES

Industrial rated burners. High speed elements. Easy to clean chrome surface. Infinite heat controls with power safety light. 12"D x 3½"H. 120V, UL. In Stock Distribution Center.



VOLLRATH'S AFFORDABLE PORTABLES

Vinyl clad steel units topped by a heavy gauge stainless steel work area. Units feature an enclosed base, a clear acrylic breathguard, 4" casters, two with brakes and 20 gauge carbon steel construction with your choice of woodgrain or black vinyl covering. 24"D x 35"H to work surface. Spillage and food pans not included NSF. *Ships freight prepaid from factory in WI.

Hot Food Stations. Each well has its own 525 watt element with infinite setting controls. Insulated by high density glass fiber that concentrates and retains heat under pans. 120V, UL. NEMA

5-30P. Not a standard plug, see page 80.

Woodgrain Black 023628 025753

031504 46" 3 Well. 156 lbs....... 031501 60" 4 Well. 182 lbs.....

.SALE \$1760.00

Het Food Stations with Incandescent Lighting, 120V

Woodgrain Black

031493 46" 3 Well. (5-30P). 314 lbs..S신문 \$2285.00 049224 127471 031488 60" 4 Well. (5-50P). 346 lbs ...SALE \$2590.00 Cold Food Stations. This ice-cooled, non-refrigerated unit has a 6" deep well for both food pans and ice, polyurethane foam


insulation and 1" drain. Woodgrain Black 025754

030238 030224

871410 Accessories. Available only when ordered with Food Bar.

025755 46" Plate rest with mounting kit. 8 lbs....\$415 \$300.00 127470 60" Plate rest with mounting kit. 10 lbs...\$415 \$340.00





Induction Cookware on Page 101

VOLLRATH INTRIGUE INDUCTION RANGE

Provides 80-90% electrical efficiency for fast, efficient cooking Digital controls feature 9 heating levels and 7 temperature holding positions. Solid state operation with built in protections. Easy to clean stainless steel exterior. UL. NSF.

871547 120V. 1800 Watts. NEMA 5-15P. 12 $\frac{3}{4}$ "W x 16 $\frac{1}{2}$ "L x 4"H. 18 lbs. In Stock Distribution Center\$575.00 022260 208V. 2200 Watts. NEMA 6-15P. $18\frac{1}{2}$ "W x $15\frac{3}{4}$ "L x 53/4"H. 15 lbs. Ships from factory in WI


CONVECTION OVENS

*Selected Items Only

871375

Shown with

optional Casters



Stainless front and sides with thermal windows. Full porcelainized interior. Single handle opens both doors. Opening doors shuts off blower fan. 11-Position rack guides with 5 chrome racks. Oven interior: 29"W x 22"D x 20"H. Interior oven light. 38"W x 38½"D. Heavy duty ½ H.P. motor. AGA. UL. Single deck ovens (55"H. 600 lbs.), Double deck ovens (64"H. 1075 lbs.) Ships from factory in NC (unless noted)

Gas. 72,000 BTU per deck and low fan speed provides even browning for delicate baked products. Turning off oven at night shuts off all gas supply to unit. 120V Controls. 3/4" Gas connection. Specify Natural or LP gas (unless noted).

871375 Single deck. Ships with legs. Natural gas. In Stock 022541 Single deck with casters and open pan guide .. SALE \$3650.00 023717 Double deck. *Ships freight prepaid from factory in NC.....

023717* Electric. Solid state temporesure controls. 12 kW heating elements per

SALE \$6075.00

deck. Specify 208V or 240V and 1 or 3 phase. Depending on configuration, may require up to 58 amps per line.

025931 Single deck.


110827 Casters

803135 028958 For single or double deck ovens. Ships from factory in NC

❖SUPERIOR CONVECTION OVENS

Stainless steel front and top with galvanized sides. Two dependent doors, one with a thermal window. Single handle opens both doors which automatically shuts off blower fan (1/2 H.P. motor). Porcelain interior, measures 29"W x 221/2"D x 20"H. Electronic ignition and solid state, dial type controls. Control panel is 100% front serviceable. Eleven position rack guides with five chrome racks. 54,000 BTU oven. 140° to 500°F Solid state thermostat and 60 minute cook timer. 38"W x 383/4"D x 55" H.O.A. Ships standard with legs. Includes regulator. 3/4" Gas connection. AGA. UL. 620 lbs. In Stock Distribution Center (unless noted).

Natural gas SALE \$2725.00 871709 048680 Casters



SALE \$3515.00

VULCAN CONVECTION OVENS

Stainless steel front and porcelain interior with lights. Independent doors need no adjustments; left door flanged to pull right door open. Simple to operate with manual, trouble-free controls. Electronic ignition and auxiliary fan switch. 60 Minute timer. Oven thermostat ranges 150° to 500°F. Exterior: 40"W x 41"D. 1/2 H.P. 2-Speed blower. AGA. NSF. Ships from factory in KY. *Ships freight prepaid from factory in KY.


Gas Ovens. 44,000 BTU/hr. per cavity. 3/4" Gas connection. Specify Natural

Electric, 40"W x $41\frac{1}{2}$ "D, 208V or 240V, 60 Hz., 1 or 3 phase — specify

voltage and phase. 60/52 Amps, 120V for controls. UL. NSF. 025803 Single $56\frac{3}{8}$ "H when mounted on $25\frac{3}{4}$ " legs (included).

025804* Double, 673/8"H on 8" legs, 22 kW, 1000 lbs SALE \$5750.00

Casters. (Pricing good only when ordered with oven.)




*TRANSPORTATION IN THE CONTINENTAL USA ONLY

Dormont Gas connector hits available on page 64

BLODGETT ZEPHAIRE CONVECTION OVENS

Includes full angle iron frame construction. Dependent glass doors. Extra depth baking compartment (29"W x 281/4"D x 20"H) accepts five 18" x 26" full-sized sheet pans in left to right or front to back positions. Stainless steel front, top and sides. 1/3 H.P. fan. 1 Year parts and labor warranty. 3 Year limited door warranty. 3/4" Gas connection. Electric ovens also available, call for details. UL. NSF, AGA. Ships from factory in VT. 025349 Single deck gas. 57"H (on casters add 4½"). 60,000 BTU. 120V Controls. Specify Natural or LP

Casters





ES service. Heavy front ledge. 000 BTU. Full a 20,000 BTU back and high e oven dimen-2"D x 13"H. All /placement — Gas connecm factory in KY.

SALE\$5045.00 4945.00 4750.00 SALE

.....\$4730.004590.00 SALE \$2850.00


____2390.00 2585.00 SALE

\$2065.00 idetails.)

















ALL ITEMS ON THIS PAGE

SUPERIOR REFRIGERATED MERCHANDISERS

Standard Features

ior: Non-peel or chip white vinyl plastic coating.

or: Anodized aluminum with 300 series stainless steel floor with clean-out drain. double pane thermal glass doors minimize condensation build-up, ve seal self-closing doors.

ry-sealed and prelubricated bottom mounted compressor and coils allow sier access for service.

ontained system, no plumbing required.

astable vinyl coated wire shelves per door.

, shielded fluorescent interior lighting.

rigerated merchandisers are 120V.

y choice of illuminated sign (call for details).

SUPERIOR SWING OR SLIDE GLASS DOOR MERCHANDISERS


Complete units only 29½" deep — saves aisle space. One and two door models: 78%"H, three door models: 79%"H (024570 is 24%"D x 74%"H). Units shown with optional track shelving (see page 15).UL. In Stock Distribution Center

In Stock L	Distributio	n Center.				
2 Door	Cu. Ft.	Door Style	W	H.P.	Lbs.	SALE
871088	33.0	Slide	39½"	1/2	410	\$2045.00
∕,871090	47.Q	Słide	54"/	1/2	495	2260.00
- 872 2 30	<i>.</i> ∠49.0	Świng \	54"	1/2/	490	2435.00
3 Door•			/	_		SALE
872231	69.0	Slide	78½"	1/2	664	\$2915.00
870838		Swing	78½"	$\frac{1}{2}$	680	3085.00
Specify BI	ack or Wh	ite vinyl exterior	r. Ships fror	n factory i	n MO.	
1 Door	Cu. Ft.	Door Style	W	H.P.	Lbs.	SALE
024570	19.0	Swing	27"	$\frac{1}{3}$	265	\$1415.00
023629	23.0	Swing	27"	1/3	312	1455.00
023867	26.0	Swing	30"	1/3	325	1555.00
2 Door						SALE
036323	35.0	Swing	39½"	$\frac{1}{2}$	413	\$2050.00
024579	37.0	Slide	431/2"	1/2	440	2080.00
024575	41.0	Slide	47"	V_2	442	2175.00
049029		Slide	51"	$\frac{1}{2}$	490	2265.00
871598		Slide	70"	1/2	585	2770.00
 Special F 	landling R	equired.				





www.superprod.com



SUPERIOR COMPACT MERCHAN

Ideal for spot merchandising whits at a premium. All the same greats as the full size merchandisers. 3 white vinyl shelves. White vinyl single door. 12 Cu. ft. 25"W x 62%"H. 120V. ½ H.P. UL. 220 lbs Distribution Center.

872229......SALE


- Stock models do not come with Must order separately.
- Sign comes no charge when with merchandiser.
- Ship direct models come staff with True® stripes sign. Other available. Call for details.








HEATED CABINETS/COOK AND HOLD








871971

PROOFING AND HOLDING CABINETS

In the holding mode, heated air circulates to keep food at perfect serving temperature. In the uninsulated cabinet, change from holding to proofing with the flip of a switch. Both cabinets feature an exterior digital thermometer for easy temperature monitoring, and a convenient drip pan to prevent condensation dripping onto floors. Four 5" casters. 253/16"W x 321/16"D x 693/4"H. UL. NEMA 5-20P. 16 amps. NSF. Ships from factory in PA, TN. **In Stock Dist. Center. Uninsulated Proof and Hold Cabinets. See-through, gasketed doors. Slide 18" x 26" Pan

		Silde	8 X 20 Pa	[]	
Style Ir	sulated	spacing	Capacity	Lbs.	SALE
871738Proof/Hold	No	11/2"	35	185\$	31835.00
871971 Proof/Hold	No	3"	18	197	.1820.00
872069 Holding	No	11/2"	35	182	.1705.00
971855Holding	No	3"	18	195	.1630.00
Insulated Holding Ca	binets.	Exterior	digital then	momete	r. Forced
air circulation. Solid	dutch d	oors save	energy.		SALE
871525 Holding	Yes	11/2"	35		2450.00
i27464 Holding	Yes	3"	18	268	2395.00
870971** Holding	Yes	3"	18	268	2275.00
871998▲Holding	Yes A	Adjustable	e 11	268 🐔	2580.00
Half Height Insulated		g Cabinet	ts. Casters,	two wit	h brakes.
120V, 15 amp. service					
025512 Holds 9 - 12"	x 20" s	steam tab	ile pans. 21	¼"W x	24¾"D x
37"H. 110 lbs				SALE \$	31290.00
025513 Holds 9 - 18	" x 26"	bun pans	s. 27¼"W>	30¾"E) x 37"H.
128 lbs				.SALE \$	31400.00
025514 Fits under a	34" cot	inter. Hol	ds 12 - 18"	x 26" b	un pans.
285/8"W x 291/4"D x 3	0¼"H. 1∙	45 lbs		SALE \$	51520.00
▲Each level holds or	ne 18" x	26" pan	or two 12"	x 20" p	oans that



are $2\frac{1}{2}$ ", 4" or 6" deep.

vulc*a*n

COOK AND HOLD OVENS

Features all stainless steel construction, interior pan supports removable for cleaning, wire cooking racks, electronic timer and digital display. Solid state temperature controls can be set automatically or manually. Cook temperature adjusts to 350°F. Hold temperature adjusts to 250°F. Includes set of

four 5" casters (two locking) and 6' power cord with NEMA 6-30 plug. 30%"W x 363/4"D. All units single phase. UL, NSF

120 lb. Capacity. Single section. Accepts (8) 18" x 26" x 1" baking pans. 441/2"H. Specify 208V (3,800 Watts, 19.0 amps) or 240V (5,060 Watts, 22.0 amps). 334 lbs.

Ships from factory in KYSALE \$4665.00 240 lb. Capacity. Single section with two doors. Accepts (16) 18" x 26" x 1" baking pans. 723/4"H. Specify 208V (5,700 Watts, 29.0 amps) or 240V (7,590 Watts, 33.0 amps). 480 lbs.

*Ships freight prepaid from factory in KY .. SALE \$6460.00 *TRANSPORTATION IN THE CONTINENTAL USA ONLY

YULCAN



Pla	ate Capaci	ty
	Covered	W
06881	96	511/2"
371715	150	613/4"

BANQUET **DELIVERY CARTS**

All stainless steel construction wi standard features including (Dutch Doors, heavy-duty reinforce wire shelving, end mounted pu handles and perimeter bump system. Recessed control par includes power "on" and heat "on" indicator lights, dial adjustat thermostat from 60° to 200°F, ai temperature read-out dial. Four casters, two locking swivel. 120 1 phase, 16.6 amps, 10' cord w NEMA 5-20 plug included. UL, NS Ships from factory in KY.


D	Н	Lbs.	SA
29"	62"	355	\$3195.
29"	73"	404	.3580.



LOCKWOOD PROOFING CABINET

Features top mount dial thermometer and p stops, front and back for proper circulation. Hol 34 full size or 68 half size bun pans. 3 Heating e ments: one in the water pan for humidity cont and 2 in the blower unit for proper circulation Temperature up to 150°F. Four 5" swivel caste wheel locks on front. 203/4"W x 285/8"D x 67'

1200.193	ר. אוועט ווטווו ומענטוץ ווו ואוו.	
Econom	y Proofers	SA
025511	Solid door. 120 lbs	\$1335.
871862	Lexan door, 120 lbs	1365.0
Insulate	d Proofer/Holder	
019585	Lexan door, 145 lbs	1670.



optional casters

HALO HEAT COOK AND HOLD OVENS

The patented Halo Heat system gently cooks and holds a varie of products, reducing product shrinkage and tenderizing me while it cooks. Manual control. Interior: 18 gauge, non-magne stainless steel. Exterior: 20 gauge stainless steel door with ma netic door latch. 1 Year parts and labor warranty, 5 years cook/hold heating elements. UL. NSF. Ships from factory in W 40 lb. Product Capacity - Single section, 4 full sized sheet p capacity, 2 shelves standard. 171/2"W x 257/8"D x 273/8"H. Spec voltage: 120V (16 Amp, NEMA 5-20P plug) or 208/240V (3,0 watt, 12.5 amp - no cord and plug). 150 lbs.

021309 SALE \$2770.1 100 lb. Product Capacity - Single section, 5 full sized sheet p capacity, 3 shelves standard. 25% "W x 27%" H x 30% "D. Spec voltage: 120V (16.8 Amp, NEMA 5-20P plug) or 208/240V (3,0 watt, 14.4 amp - no cord and plug). 225 lbs.

Optional Accessories 021313 5" Caster set (2 rigid, 2 swivel with brake). 15 lbs.

www.superprod.com S Outlet Center








SALE \$225.










165 LB. CUBER WITH BIN

Produces up to a maximum of 165 lbs. per day. Only 39"H for easy installation. Front breathing design. Stores up to 70 lbs. of ice. Produces $\frac{7}{8}$ " x $\frac{7}{8}$ " x $\frac{1}{2}$ " clear cubes. Front access to filter, control box and pump. Double wall rotocast cabinet won't rust or dent. Air cooled. 24"W x 24"D. 115V, 11.5 amps, UL. NSF. 185 lbs. In Stock.

870882 SAŬE \$1745.00




FLAKER/NUGGET MACHINES

Auger design reduces bearing loads and wear. Reliable, easy-to-service. Textured Grey finish. Bin adapter included for mounting to any Scotsman 30"W rotocast storage bin. Air cooled. 21"W x 24"D x 27"H. 115V, 20.7 amps, UL. NSF. 205 lbs. *Ships freight prepaid from

our nearest Scotsman distributor.


023844 Flaker, produces up to 760 lbs. per 127867 Flaker, produces up to 1170 lbs. per day. 208-230/60/1. 215 lbs.......SALE \$3900.00 023846 Nugget, produces up to 700 lbs. per 127870 Nugget, produces up to 1080 lbs. per day, 208-230/60/1, 290 lbs SALE \$3995.00 127271 Rotocast bin, 535 lb. capacity. 30"W



290 LB. CONTOUR **CUBER WITH BIN**

Space Saving Undercounter Design Reliable performance, low operating costs and CM3 dependability combined to give you up to 290 lbs. of patented contour cubes per day. Same contour cubes as Modular machines. 30" Wide, front breathing design for undercounter installations - 100% rust-free cabinet and insulated storage bin minimizes condensation. Bin holds up to 90 lbs. of ice maximum. Air cooled. 30"W x 301/2"D x 39"H. 115V, 15 amps, UL. NSF. 230 lbs. In Stock.

*TRANSPORTATION IN THE CONTINENTAL USA ONLY



22" WIDE CONTOUR **CUBERS AND BINS**

Slim contour cubers are your choice when floor space is at a premium. Stainless steel finish. Same features as the 30" and 48" models. Air cooled. 120V, UL. NSF. Order bin separately. *Ships freight prepaid from our nearest Scotsman distributor.

Cuber Heads. 22"W x 24"D x 28"H. 023839 340 Lb. max. production, 185 lbs...

SALE \$1905.00 023840 490 Lb. max. production 205 lbs SAFE \$2040.00

Bin. 22"W x 31"D x 50"H. 135 lbs 021085 374 Lb. max. capacity.. SALE \$730.00

www.superprod.com



400 LB. FLAKER WITH BIN

WARRANTY
2 YEAR LABOR AND PARTS
5 YEAR COMPRESSOR

Engineered for reliability. Great for healthcare and blended drinks. Produces up to a maximum of 400 lbs. of flaked ice per day. Grey rotocast cabinet provides superior insulation, durability and corrosion resistance. 80 Lb. bin. Air cooled. 24"W x 24"D x 39"H. (Allow 4" depth for utilities). 115V, UL. NSF. 185 lbs. *Ships freight prepaid from our nearest Scotsman distributor.





UNDERCOUNTER CUBER

This small ice machine will produce up to 69 lbs. of ice in a 24 hour period. While not recommended for bars or restaurants, this machine is perfect for hotel suites, conference rooms, etc. Bin holds 28 lbs. (3% bags of ice). Stainless steel exterior. Front breathing design allows for undercounter installations. 18"W x 201/2"D x 341/2"H. 115V, 6 amps. UL. NSF. 105 lbs. In Stock Dist. Center.

Production flames based on POIR water and 70'F gh temperature, les machine production will very according to ambient air end water omperatures, Asi wour solosperson for production figures













✓ 07/23/2007 15:21 FAX 9363276873

651 636 3671;

POLK CTY SOCIAL SERVICES 036 3671; 07/23/07 11:44AM;#442;

2001 Page 2/3

ent by: Superior 53 PAGE YOL. SUPERIOR PRODUCTS 510 WEST COUNTY ROAD D SAINT PAUL, MN 55112 Direct 851-636-1110 Fax 851-836-3871

Page For Barbara Hayes

QUOTATION

POLK COUNTY AGING SERVICES 602 E CHURCH ST STE 108 LIVINGSTON TX 77351 POLK COUNTY AGING SERVICES 602 E CHURCH ST STK 108 D LIVINGSTON TX 77351 TX 77351 o ~ Ò.

The continue 1	' I	7/23/07	11.91.91 /	ST.		CUSTOMER # 00508622	,	PHONE 936	-327-R	844
1 EA 110827 OVEN CONVECTION ELEC. DBL Ship Need Specify 208 of 240 SINGLE OR THREE PHASE MERCH SHIPS DIRECT FROM THE FACTORY; LEAD TIME IS APPROX 7-10 EUS DAYS 1 SET 028958 CASTERS/SOUTHERED CONVEC OVEN Ship X-Ref Supr-78785 APN-0142422 1 EA 872230 MERCH 2 DR SWING 54 W 49CUFT X-Ref Indyr-098783 APN-3553450 MERCH 1S IN STOCK; LEAD TIME IS APPROX 3-5 Out of world ship Substantial Bus Days 1 EA 871998 HOLDING CABINET INSULATED Ship X-Ref Supr-7M849 APN-5072574 FREIGHT PAID BUS DAYS 1 EA 023840 SLIM CUBER CONTOUR 490 LB. Ship X-Ref Supr-28450 APN-2410785 SPECIFY AIR OR WATER COOLED	S PERSON'S NAME	1/25/01	11.21.61 0	<u> </u>		OGNORACE				
1 EA 110827 OVEN CONVECTION ELEC. DBL Ship Direct X-Ref APN-0436253 SPECIFY 208 OF 240 SINGLE OR THRER PHASE MERCH SHIPS DIRECT FROM THE FACTORY; LEAD TIME IS APPROX 7-10 EUS DAYS 1 SET 028958 CASTERS/SOUTHBEND CONVEC OVEN Ship X-Ref Supk-78785 APN-0142422 1 EA 872230 MERCH 2 DR SWING 54 W 49CUFT X-Ref Indyk-098783 APN-3553450 MERCH IS IN STOCK; LEAD TIME IS APPROX 3-5 Out of water the supk-78785 APN-5072574 FERSIGHT PAID BY VENDOR MERCH SHIPS DIRECT FROM THE FACTORY; LEAD TIME 1 EA 871998 HOLDING CABINET INSULATED Ship X-Ref Supk-78849 APN-5072574 FERSIGHT PAID BY VENDOR MERCH SHIPS DIRECT FROM THE FACTORY; LEAD TIME 1 SAPPROX 7-10 BUS DAYS 1 EA 023840 SLIM CUBER CONTOUR 490 LB. Ship X-Ref Supk-28450 APN-2410785 SPECIFY AIR OR WATER COOLED		YSY		EXT - 8	777	A PROCESSION OF THE PARTY OF				873 **********
OVEN CONVECTION ELEC. DBL Ship Direct X-Ref APN-0436253 SPECIFY 208 OF 240 SINGLE OR THREE PHASE MERCH SHIPS DIRECT FROM THE FACTORY; LEAD TIME IS APPROX 7-10 BUS DAYS 1 SET 028958 CASTERS/SOUTHBEND CONVEC OVEN Ship Direct X-Ref Suph-78785 APN-0142422 1 EA 872230 MERCH 2 DR SWING 54"W 49CUFT X-Ref Indyh-098783 APN-3553450 MERCH 1S IN STOCK; LEAD TIME IS APPROX 3-50ut budget. 1 EA 871898 HOLDING CABINET INSULATED Ship X-Ref Suph-7M849 APN-5072574 FREIGHT PAID BY VENDOR MERCH SHIPS DIRECT FROM THE FACTORY; LEAD TIME IS APPROX 7-10 BUS DAYS 1 EA 023840 SLIM CUBER CONTOUR 490 LB. Ship Direct X-Ref Suph-28450 APN-2410785 SPECIFY AIR OR WATER COOLED	TY UM		DESCAPTO						25 53 5 V	
MERCH SHIPS DIRRCT FROM THE FACTORY; LEAD TIME IS APPROX 7-10 BUS DAYS 1 SET 028958 CASTERS/SOUTHBEND CONVEC OVEN Ship Direct X-Ref Supr-78785 APN-0142422 1 EA 872230 MERCH 2 DR SWING 54"W 49CUFT X-Ref Indyr-098783 APN-3553450 MERCH IS IN STOCK; LEAD TIME IS APPROX 3-50ut of Lead of Lead Supression of Lead Time Is APPROX 3-50ut of Lead Supression of Lead Time Is APPROX 3-50ut of Lead Supression of Lead Time Is APPROX 3-50ut of Lead Supression of Lead Time Is APPROX 3-50ut of Lead Supression of Lead Time Is APPROX 3-50ut of Lead Supression of Lead Time Is APPROX 3-50ut of Lead Supression of Lead Time Is APPROX 3-50ut of Lead Supression of Lead Time Is APPROX 3-50ut of Lead Supression of Lead Time Is APPROX 7-10 BUS DAYS 1 EA 023840 SLIM CUBER CONTOUR 490 LB. Ship Direct X-Ref Supression of Lead Time Is APPROX 3-50ut of Lead Time Is APPROX 7-10 BUS DAYS 1 EA 023840 SLIM CUBER CONTOUR 490 LB. Ship Direct X-Ref Supression of Water COOLED	1 EA	OVEN CONV X-Ref SPECIF	APN-0436253, Y 208 OR 240	\geq	Ship	1,075.0 Direct	6,270	_00	6	,270.0
CASTERS/SOUTHBEND CONVEC OVEN Ship Direct X-Ref Supr-78785 APN-0142422 1 RA 872230 MERCH 2 DR SWING 54"W 49CUFT X-Ref Indyr-098783 APN-3553450 MERCH IS IN STOCK; LEAD TIME IS APPROX 3-5Out of Livered BUS DAYS 1 EA 871998 HOLDING CABINET INSULATED Ship X-Ref Supr-7M849 APN-5072574 FREIGHT PAID BY VENDOR MERCH SHIPS DIRECT FROM THE FACTORY; LEAD TIME IS APPROX 7-10 BUS DAYS 1 EA 023840 SLIM CUBER CONTOUR 490 LB. Ship X-Ref Supr-28450 APN-2410785 SPECIFY AIR OR WATER COOLED		MERCH	SHIPS DIRECT	FROM THE	FACT	PRAFFIFE PRAFF		to proced a man man man		
1 EA 871998 HOLDING CABINET INSULATED Ship Direct X-Ref Supt-7M849 APN-5072574 FREIGHT PAID BY VENDOR HERCH SHIPS DIRECT FROM THE FACTORY: LEAD TIME 1S APPROX 7-10 BUS DAYS 1 EA 023840 SLIM CUBER CONTOUR 490 LB. Ship Direct X-Ref Supt-2S450 APN-2410785 SPECIFY AIR OR WATER COOLED	1 SET	CASTERS/S X-Ref	Supit-7B785	APN-01424	22	Direct		7417		
1 EA 871998 HOLDING CABINET INSULATED Ship Direct X-Ref Supt-7M649 APN-5072574 FREIGHT PAID BY VENDOR HERCH SHIPS DIRECT FROM THE FACTORY: LEAD TIME 1S APPROX 7-10 BUS DAYS 1 EA 023840 SLIM CUBER CONTOUR 490 LB. Ship Direct X-Ref Supt-2S450 APN-2410785 SPECIFY AIR OR WATER COOLED	1 RA	872230 MERCH 2 D X-Ref MERCH BUS DA	R SWING 54"W Indyn-098783 IS IN STOCK; YS	49CUFT APN-355 LEAD TIM	3450 Y IS	516.0 APPROX 3-	2,275 Will 500+	of U	hase 2	,2 75.0
IS APPROX 7-10 BUS DAYS 1 EA 023840 205.0 1,930.00 1,930.00 SLIM CUBER CONTOUR 490 LB. Ship Direct X-Ref Suph-28450 APN-2410785 SPECIFY AIR OR WATER COOLED	1 EA	871998 HOLDING C X-Ref FREIGH	abinet insul Supet-7M649 T paid by ve	ATED APN-50725 NDOR	Ship 74	212.0 Direct	2,440	3		
SLIM CUBER CONTOUR 490 LB. Ship Direct X-Ref Suph-28450 APN-2410785 SPECIFY AIR OR WATER COOLED		MERCH IS APP	SHIPS DIRECT ROX 7-10 BUS	FROM THE	FACI	ORY; LEAL	TIME			
	1 EA	SLIM CUBE X-Ref	Suph-28450	APN-24107 ER COOLED	85	Direct	·	.00	1	,930.0

07/23/2007 15:21 FAX 9363276873 ent by: Superior

POLK CTY SOCIAL SERVICES 651 636 3671; 07/23/07

07/23/07 11:44AM;#442;

Ø 002 Page 3/3

VOL.

53 PAGE 953

2

SUPERIOR PRODUCTS 510 WEST COUNTY ROAD D SAINT PAUL, MN 55112 Direct 651-638-1110 Fax 851-636-3671

QUOTATION

o Polk County aging services
L 602 B CHURCH ST STE 108
D LIVINGSTON TX 77351

T 0

NAME/POR BARBARA CUSTOMER ! PHONE <u>013</u>62633 7/23/07 11:21:31 CST 00508622 936-327-6844 KMILY MCKASY <u> EXT: 8777</u> FAX: 936-327-68**7**3 QTY LUM MERCH SHIPS DIRECT FROM THE FACTORY; LEAD TIME IS APPROX 7-10 BUS DAYS 1 EA 021085 850.0d 100 0 650,00 SLIM BIN 274 LB CAPACITY Ship! Direct X-Ref Suph-28260 APN-0085399 MERCH SHIPS DIRECT FROM THE FACTORY; LEAD TIME IS APPROX 7-10 BUS DAYS 1,700.00 1 RA 1,700.0d 023628 158.0 MOBILE 3 WELL HOT FOOD STATION Ship Direct X-Ref Suph-7V349 APN-3150586 FREIGHT PAID BY VENDOR MERCH SHIPS DIRECT FROM THE FACTORY; LEAD TIME IS APPROX 7-10 BUS DAYS TOTAL WT 2,284.0 15,476,00 SUBTOTAL EST SHIPPING AND HANDLING 630.0d TAX .od 16,105.0d TOTAL Quoted Prices will be honored until 8/22/07. Orders received after that date are subject to price review and possible change. Signature shall constitute customer acceptance of the above quotation, and shall become a bona fide order subject to credit approval. Shipping and handling charges and applicable sales tax are quoted separately unless otherwise specified. Authorized Signature Title Date