# Application for Plat Approval Polk County Commissioner's Court (Please print or type and submit in duplicate)

PLAT NAME:  (Need the complete subdivision name, section – and if replat, use replat number)					
•	ON REQUESTED		.,,,		
Preliminary	Final	Replat	Amending	Partial Replat	
	(ON: E.T.J		Survey(s) & Abstrac	ct No(s).	
	becation (wajor 5t.)				
				School District	
				YESNO	
PLAT DATA PLAT Single Family Resid	at Type: (Check the appro	priate box after each desc Special Lot S	_		
Street Dedication		Other	Explain		
Apartment	Commercial	Industrial	Replat	S.P.O.	
NEW DEVELO <u>Proposed</u>	Water/Sewer Util Total No. Acres Tract / Blocks D.U.s / Lots Acres in Reserve Typical Lot Size Street Footage Parking Provided	ities	FOR REPL	LAT ONLY Proposed	
PLANNED IMI	PROVEMENTS				
Streets:	Public	Private	Concrete C&	&G Open Dite	ch
<b>Storm Sewers:</b>	Storm Sewer	_ Open Ditch	Combination	n	
Sanitary System:	City	_ Septic Tanks	District		
Water System:	City	System	Private Well	ls District _	
Is a Preliminary Ei Required	ngineering Report	YES	NO		
	r Corporation or Individual				
Developer:Architect or Engineer	er				 ax #)
This is to certify tha authorized to make t			CTE, TRUE and CO	ORRECT and the undersignedSignature of Applicant	
				Date Submitted	



### **ATTACHMENT A**

# Polk County, Texas Subdivision Regulations: <u>Preliminary Plat Guidelines/Checklist</u>

	Developer must obtain current Subdivision Regulations from Precinct County Commissioner or website.
	Developer must complete Application for Plat Approval prior to meeting with County Commissioner.
	Developer must meet with the appropriate County Commissioner to discuss proposed subdivision design.
	Determine if a Preliminary Engineering Report is required.
	(Will be required for subdivisions with lots less than 5 acres that do not have access to public water and sewer service)
	Prepare the Preliminary Plat as directed below.
Ever	y Preliminary Plat must include:
	Existing topographic contours at two-foot intervals for lots less than 5 acres; ten-foot intervals for all other subdivisions
	Tangent lengths, centerline radii, names, and right of way dimensions for all proposed and existing streets
	Proposed easements, existing easements & detention ponds
	100-Year Flood Zone Delineation from Local FEMA Map
	Proposed approximate property line dimensions
	Adjacent property, owner's name, address, deed record, or subdivision name, block & lot name
	A transmittal letter containing name, address, telephone number and fax number for subdivision owner and engineer
	City limits, surveys, section and county boundaries
	Vicinity Map
	Deliver to Precinct Commissioner with Polk County forms for OSSF and 911 addressing
	Review Plat with County Permit Inspector and obtain review form
	If the property lies within the ETJ of a city, the Owner shall comply with the platting procedures of the city, unless waived.
	Submit the Preliminary Plat to County Commissioner (1 copy) and Engineer (1 Copy) for review at least 14 days prior to the
	next Commissioners' Court Meeting.
	Review by Precinct Commissioner
	Review by County Engineer (if required)
	Address the comments and recommendations made by Precinct Commissioner and County Engineer
	County Commissioner contacts County Judge for placement on court agenda
	Preliminary Plat will be submitted to the County Judge's office with completed application for plat approval, including this Attachment A,
	ten (10) days prior to the meeting for placement on the meeting agenda.
	Prior to Plat approval the owner must by scanning fee or provide a digital plat in .DWG format.
^^	
COI	MMENTS:



#### **ATTACHMENT B**

#### Polk County, Texas Subdivision Regulations: Final Plat Procedures

Every final plat submission must include all of the items listed on the ATTACHMENT C - Final Plat Guidelines/Checklist. Since the County must approve or reject the submission within 60 days, it is the obligation of the developer to submit information, provide notices, and schedule hearings in adequate time to permit proper review by the County. If this is not done, the submission will be rejected and a new application must be filed.

After approval of the Preliminary Plat, the developer must make changes noted with approval if any are required.  Submit Final Plat for review to the appropriate commissioner.  If roads are not completed, obtain Bond or Letter of Credit in amount determined by Commissioner or County Engineer.  Review by the Precinct Commissioner.  Review by the County Engineer.  Address the comments and recommendations made by the Precinct Commissioner and County Engineer.  After approval by the County Engineer, the plat, and a copy of the completed application with all attachments, will be submitted to the County Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for placement on the meeting agenda for Commissioner's Court approval.	for review to the appropriate commissioner.  mpleted, obtain Bond or Letter of Credit in amount determined by Commissioner or County Engineer coinct Commissioner.  unty Engineer.  ments and recommendations made by the Precinct Commissioner and County Engineer.  the County Engineer, the plat, and a copy of the completed application with all attachments, will be county Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for meeting agenda for Commissioner's Court approval.  of plat, the owner must pay a scanning fee to the County Engineer, or a digital file of the plat must be provided.  swithin the extraterritorial jurisdiction of a city then the owner shall comply with the platting		inary Plat has been approved.
If roads are not completed, obtain Bond or Letter of Credit in amount determined by Commissioner or County Engineer.  Review by the Precinct Commissioner.  Review by the County Engineer.  Address the comments and recommendations made by the Precinct Commissioner and County Engineer.  After approval by the County Engineer, the plat, and a copy of the completed application with all attachments, will submitted to the County Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for	mpleted, obtain Bond or Letter of Credit in amount determined by Commissioner or County Engineer coinct Commissioner.  unty Engineer.  nents and recommendations made by the Precinct Commissioner and County Engineer.  the County Engineer, the plat, and a copy of the completed application with all attachments, will be county Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for meeting agenda for Commissioner's Court approval.  of plat, the owner must pay a scanning fee to the County Engineer, or a digital file of the plat must be provided.  s within the extraterritorial jurisdiction of a city then the owner shall comply with the platting	After a	approval of the Preliminary Plat, the developer must make changes noted with approval if any are required.
Review by the Precinct Commissioner.  Review by the County Engineer.  Address the comments and recommendations made by the Precinct Commissioner and County Engineer.  After approval by the County Engineer, the plat, and a copy of the completed application with all attachments, will submitted to the County Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for	coinct Commissioner.  unty Engineer.  nents and recommendations made by the Precinct Commissioner and County Engineer.  the County Engineer, the plat, and a copy of the completed application with all attachments, will be county Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for meeting agenda for Commissioner's Court approval.  of plat, the owner must pay a scanning fee to the County Engineer, or a digital file of the plat must be provided.  swithin the extraterritorial jurisdiction of a city then the owner shall comply with the platting	Submi	t Final Plat for review to the appropriate commissioner.
Review by the County Engineer.  Address the comments and recommendations made by the Precinct Commissioner and County Engineer.  After approval by the County Engineer, the plat, and a copy of the completed application with all attachments, will submitted to the County Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for	nents and recommendations made by the Precinct Commissioner and County Engineer.  the County Engineer, the plat, and a copy of the completed application with all attachments, will be county Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for meeting agenda for Commissioner's Court approval.  of plat, the owner must pay a scanning fee to the County Engineer, or a digital file of the plat must be provided.  swithin the extraterritorial jurisdiction of a city then the owner shall comply with the platting	If road	s are not completed, obtain Bond or Letter of Credit in amount determined by Commissioner or County Engineer
Address the comments and recommendations made by the Precinct Commissioner and County Engineer.  After approval by the County Engineer, the plat, and a copy of the completed application with all attachments, will submitted to the County Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for	nents and recommendations made by the Precinct Commissioner and County Engineer.  the County Engineer, the plat, and a copy of the completed application with all attachments, will be county Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for meeting agenda for Commissioner's Court approval.  of plat, the owner must pay a scanning fee to the County Engineer, or a digital file of the plat must be provided.  s within the extraterritorial jurisdiction of a city then the owner shall comply with the platting	Reviev	v by the Precinct Commissioner.
After approval by the County Engineer, the plat, and a copy of the completed application with all attachments, will submitted to the County Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for	the County Engineer, the plat, and a copy of the completed application with all attachments, will be county Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for meeting agenda for Commissioner's Court approval.  of plat, the owner must pay a scanning fee to the County Engineer, or a digital file of the plat must be provided.  s within the extraterritorial jurisdiction of a city then the owner shall comply with the platting	Reviev	v by the County Engineer.
submitted to the County Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for	county Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for meeting agenda for Commissioner's Court approval.  of plat, the owner must pay a scanning fee to the County Engineer, or a digital file of the plat must be provided.  s within the extraterritorial jurisdiction of a city then the owner shall comply with the platting	- Addre:	ss the comments and recommendations made by the Precinct Commissioner and County Engineer.
	of plat, the owner must pay a scanning fee to the County Engineer, or a digital file of the plat must be provided.  s within the extraterritorial jurisdiction of a city then the owner shall comply with the platting	- submit	ted to the County Judge's office no later than ten (10) days prior to the next Commissioner's Court meeting for
Prior to approval of plat, the owner must pay a scanning fee to the County Engineer, or a digital file of the plat in .DWG format must be provided.		Prior to	o approval of plat, the owner must pay a scanning fee to the County Engineer, or a digital file of the plat
If the property lies within the extraterritorial jurisdiction of a city then the owner shall comply with the platting	ity, unless said city has waived jurisdiction by Interlocal Agreement.	If the p	property lies within the extraterritorial jurisdiction of a city then the owner shall comply with the platting
procedure of the city, unless said city has waived jurisdiction by Interlocal Agreement.		•	
		proced	are of the city, unless said city has waived jurisdiction by Interlocal Agreement.
***************************************		proced	**************************************
		proced	**************************************

### **ATTACHMENT C**



Polk County, Texas Subdivision Regulations: Final Plat Guidelines/Checklist

Fin	Final Plat must include:		
	Owner's and any lien holder's dedication and restrictions, if any, duly acknowledge in the manner required for acknowledgement of deeds.		
	For road widening and drainage purposes the landowner may dedicate either the fee interest in the property or a right-of-way easement for road widening and drainage improvements at the landowner's option.		
	Right-of-way easements for widening roadways or improving drainage must be accompanied by a plat note as found in Section C.1 of the Polk County, Texas Subdivision Regulations (PCSR) placing the burden of maintaining the property upon the landowner until road or drainage improvements are actually constructed on the property.		
	The plat must also contain the note as found in Appendix C, Section C.2 of the PCSR		
	A plat note as found in Appendix C, Section C.3 of the PCSR, stating that dedication of all public roadways and easements shall be accomplished free of liens except those liens stated in Section 5.2.		
	Any required release of liens shall be provided to the Commissioners' Court		
	Perimeter field notes certified by a Registered Professional Land Surveyor, beginning point to recite approximate bearings and distances to a corner of the original land grant survey of which the subdivision is a part (according to the best available data.)		
_	All lot and block monumentations will be set by a registered professional surveyor before recordation of the plat.		
_	All easements of record that have designated route shall be shown on the plat.  The developer will be responsible for coordinating with all utility providers the location of all public utility easements that are shown on the final plat.		

# ATTACHMENT C VOL 56 PAGE 2126 <sup>2</sup>

	The plat shall show the location of the 100 year floodplain as identified on the most current Polk  County Flood Hazard Boundary Map (FHBM), published by the Federal Emergency Management  Agency.
	The plat shall either show the location of special flood hazard areas identified by an engineering study under the seal of a Registered Professional Engineer for those water courses whose basin is larger than Professional Engineer for those water courses whose basin is larger than 64 acres or show a 100 foot building setback from the centerline of the water course or a building line or the O.S.S.F. setbacks required by the Health Department which ever is greater.
	The placement of an elevation benchmark with the location, description and elevation of the benchmark is required to be identified on the face of the plat, where available.
	The elevation of this benchmark shall be tied into a benchmark shown on the FIRM panel, if available.
	The plat shall designate all easements of public record
	Minimum first floor elevations for buildings shall be identified on each lot that is adjacent to the 100 year floodplain.
	A plat note as found in Appendix C, Section C.4 of the PCSR for Commissioners' Court approval, including authorization for the County Clerk to file the plat for the record as found in Appendix C, Section C.5 of the PCSR.
	These notes are to be located in the lower right hand corner of the last sheet of the plat.
	A statement of the length of each street in the proposed subdivision and its design speed.
	Approval of the incorporated city when the subdivision is within the extraterritorial jurisdiction of that city, unless the city has waived jurisdiction by Interlocal Agreement.
	A statement from the owner acknowledging that it is the responsibility of the owner, not the County, to assure compliance with the provisions of all applicable state, federal and local laws and regulations relating to the environment, including but not limited to, the Endangered Species Act, state Aquifer Regulations, and municipal watershed ordinances.
	this shall be part of the owner's dedications statement on the face of the plat.
· · · · · · · · · · · · · · · · · · ·	Lots will be minimum of 30 feet in width as measured 25 feet from the front property line and front on a pubic street.  any lot that could potentially be re-subdivided shall have a minimum frontage of 50 feet.
	all parcels within the boundary of the subdivision will have a block and lot number.

## ATTACHMENT C

Polk County Permit Inspections, showing that they have examined the plat and that it is in compliance with the Polk County: (Construction Standards for On Site Sewage Facility Regulations (TCEQ), Floodplain Management Regulations for Polk County, Regulations of the Aquifer).
 This signature block must be signed by a representative of the District prior to final plat approval.
Survey ties across all existing right-of-way located adjacent to the boundary of the subdivision.
Each tie shall show the bearing and distance from a proposed property pin to an exiting property pin or fence if a pin cannot be found.
 Based upon this tie, an approximate right-of-way width shall be shown.
 A signature block on the plat for street name and addressing approval by the Polk County 911  Addressing Coordinator.
It is the responsibility of the Owner to assure that the proposed name of the subdivision is notduplicated.
The owner shall check with the County Clerk's records for verification
Attached Engineer Report Certification by a Registered Professional Engineer under his or her professional seal that all engineering for road and drainage within the subdivision have been completed with these Regulations, including the Engineering Guidelines incorporated as Appendix B, and with all generally accepted engineering standards.
 The owner may defer this certification by meeting the security requirements of Section 5.2 or Section 5.3 of the PCSR.
 An attached letter of serviceability from an entity or entities providing water service or a letter from the Owner stating that no service is available within 300 feet of the subdivision and certifying that the lots are suitable for private wells.
 _ An attached original tax certificate from each taxing unit with jurisdiction of the real property.
an affidavit that the property described in the plat is within the tract described in the certificates